

Vertical axis wind turbine generator EN-2KW-XL Technical Datasheet

Part No: EN-2KW-XL

Description: The permanent magnetic EN-2KW-XL wind turbine has high-efficient energy output, is the most

compact, quiet, rugged and reliable vertical axis wind turbine generator. The EN-2KW-XL wind turbine is widely used in LED lighting system, signal & camera security, telecommunication field for off-grid residence. The EN-2KW-XL wind turbine is extremely easy to integrate with solar panels to create off-grid power systems that require modest amounts of energy. Available in 48V,96V for battery charging applications.



Design

- 1) The EN-2KW-XL is designed on a unique low inertia axial flux generator which utilizes Neodymium permanent magnetic material.
- 2) The EN-2KW-XL has zero cogging with its highly efficient, allow the turbine to generate power at very low wind speeds and deliver a high output in working wind speeds.
- 3) The EN-2KW-XL can survive from winds up to 40m/s by a passive aero-dynamic design that reduces turbine RPM and power output at a certain threshold.
- The robust aluminum alloy chassis and stainless steel components are protected by the aerospace grade coatings and anodizing.

<u>Advantage</u>



Features

EN-2KW-XL wind turbine


Turbine diameter : 0.8 meter

Rotor Type : Vertical spiral, non-wind direction required

Blade Material : Enhanced glass fiber, UV resistant

Rated output : 2000w at 11m/s

Peak output : 2100W
Cut-in speed : 3m/s
Blades height : 2.0 meter
Rated voltage : 48V, 96V



^{*} Wind turbine performance is subject to many factors. All output data contained in this document is indicative and actual turbine outputs will depend on the prevailing site and installation conditions

ENGELEC ENERGY

Intelligent manufacturing, Industry 5.0 Email:info@engelec.cn www.engelecenergy.com Call at +86 13505876536